



TOWERKLENE SAF-T-22

TOWERKLENE SAF-T-22 (formerly LS-T-460) is a versatile, concentrated aqueous cleaning solution formulated for use in immersion/soak applications. **TOWERKLENE SAF-T-22** is completely safe for use on ferrous and non-ferrous metals. It is a neutral pH cleaner making it very safe to use by operating personnel. In some cases disposal will be less costly since the pH does not need to be neutralized. **TOWERKLENE SAF-T-22** stays very clean in use and will typically double the washer sump life.

USAGE

TOWERKLENE SAF-T-22 is typically used at concentrations of 3% - 15% and at operating temperatures between 130°F and 160°F. It provides in-process rust protection if not rinsed from the parts. Parts that are cleaned with **TOWERKLENE SAF-T-22** and then rinsed should be coated with a water displacing rust preventive such as **RUSTBEAT 298** for extended corrosion protection.

PHYSICAL CHARACTERISTICS

Density	1.01 g/ml 8.4 lbs/gal
Appearance	Clear Liquid
Odor	Bland
pH (concentrate)	Neutral 6.5 – 7.5
Flash Point	None
Refractive Index	0.6 @ 3% 0.9 @ 5%
	1.9 @ 10% 2.8 @ 15%
Refractive Index Factor	5.38 x RI = Vol %

BENEFITS

- Safe For Operating Employees
- Versatile Cleaning Solution
- Multi-Metal Safe
- Extends Washer Sump Life
- Excellent Immersion Cleaner
- Washer Fluid Runs Cleaner

TECHNICAL SUPPORT

This is a Proprietary product. TOWER wants to assist you in evaluation and selection of suitable products. We urge you to take advantage of this service. This information sheet and TOWER's assistance, however, are not a substitute for your own testing and evaluation.